

Printing date 10/19/2015

Reviewed on 10/10/2015

Page 1/9

US

1 Identification · Product identifier · Trade name: CarTech Nitralloy 135M · Application of the substance / the mixture Metal working · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Carpenter Technology Corp PO Box 14662, Reading, PA 19612 110 West Bern Street READING, PA 19601 USA · Information department: Health and Safety Department • Emergency telephone number: During normal opening times: +1 (610) 208-2134 **2** Hazard(s) identification · Classification of the substance or mixture GHS08 Health hazard Carc. 2 H351 Suspected of causing cancer. GHS07 Skin Sens. 1 H317 May cause an allergic skin reaction. · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS07 GHS08 · Signal word Warning · Hazard-determining components of labeling: nickel · Hazard statements May cause an allergic skin reaction. Suspected of causing cancer. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves. Contaminated work clothing must not be allowed out of the workplace. (Contd. on page 2)

Reviewed on 10/10/2015

Trade name: CarTech Nitralloy 135M

(Contd. of page 1) Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Specific treatment (see on this label). Wash contaminated clothing before reuse. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. IF ON SKIN: Wash with plenty of water. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 0Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 0 Health = 0FIRE 0 Fire = 0**REACTIVITY O** Reactivity = 0• Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
	red phosphorus	<i>≤10%</i>	
7440-32-6		<i>≤10%</i>	
7704-34-9		2.5-<10%	
7440-47-3		0.1- <u>≤</u> 2.5%	
7429-90-5		0.1- <u>≤</u> 2.5%	
7440-02-0	nickel	0.1-<1%	

4 First-aid measures

· Description of first aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water.

• After swallowing: If symptoms persist consult doctor.

· Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 10/19/2015

Reviewed on 10/10/2015

(Contd. of page 2)

Trade name: CarTech Nitralloy 135M

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: The product is not flammable.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

· Environmental precautions: No special measures required.

- Methods and material for containment and cleaning up: No special measures required.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling Not applicable.
- · Information about protection against explosions and fires: Not applicable.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

7723-14-0 red phosphorus

REL Long-term value: 0.1 mg/m³

7440-47-3 chromium

- PEL Long-term value: $1 * 0.5 * mg/m^3$
 - *metal;**inorganic compds., as Cr
- REL Long-term value: 0.5* mg/m³
 - *metal+inorg.compds.as Cr;See Pocket Guide App. C
- TLV Long-term value: 0.5 mg/m³

(Contd. on page 4)

JS

Reviewed on 10/10/2015

Trade name: CarTech Nitralloy 135M

		Contd. of page 3)
7429	9-90-5 aluminium	
PEL	Long-term value: 15*; 15** mg/m ³	
	*Total dust; ** Respirable fraction	
REL	Long-term value: 10* 5** mg/m ³	
	as Al*Total dust**Respirable/pyro powd./welding f.	
744(0-02-0 nickel	
PEL	Long-term value: 1 mg/m ³	
REL	Long-term value: 0.015 mg/m ³	
	as Ni; See Pocket Guide App. A	
TLV	Long-term value: 1.5^* mg/m^3	
	elemental, *inhalable fraction	
· Add	itional information: The lists that were valid during the creation were used as basis.	
· Exp	osure controls	
	sonal protective equipment:	
	eral protective and hygienic measures:	
Keej	p away from foodstuffs, beverages and feed.	
	nediately remove all soiled and contaminated clothing.	
	h hands before breaks and at the end of work.	
Was		
Was Stor	e protective clothing separately.	
Was Stor • Bred	e protective clothing separately. athing equipment:	
Was Stor • Brea In ca	e protective clothing separately. a thing equipment: ase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer	r exposure use
Was Stor • Brea In ca resp	e protective clothing separately. athing equipment:	r exposure use



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Safety glasses

(Contd. on page 5)

Printing date 10/19/2015

*

Reviewed on 10/10/2015

Trade name: CarTech Nitralloy 135M

(Contd. of page 4)

Information on basic physical and	chemical properties	
General Information Appearance:		
Form:	Solid	
Color:	According to product specification	
Odor:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	416 °C (781 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:	300 °C (572 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard. Explosive when mixed with oxidising substances.	
Explosion limits:		
Lower:	0.0 Vol %	
Upper:	0.0 Vol %	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	6.6332 g/cm ³ (55.354 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content: Organic solvents:	0.0 %	
Solids content:	91.2 %	
Other information	No further relevant information available.	

10 Stability and reactivity

• **Reactivity** No further relevant information available.

(Contd. on page 6)

US

Reviewed on 10/10/2015

Trade name: CarTech Nitralloy 135M

(Contd. of page 5)

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- \cdot on the eye: No irritating effect.
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
7440-47-3	chromium	3
7440-02-0	nickel	1
· NTP (Natio	onal Toxicology Program)	
7440-02-0	nickel	R
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 10/19/2015

Reviewed on 10/10/2015

Trade name: CarTech Nitralloy 135M

(Contd. of page 6)

13 Disposal considerations

• Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

TINT NI	
UN-Number DOT, ADN, IMDG, IATA	not regulated
	noi regulaiea
UN proper shipping name DOT, ADN, IMDG, IATA	not regulated
Transport hazard class(es)	
DOT, ADN, IMDG, IATA Class	not reculated
Class	not regulated
Packing group	
DOT, IMDG, IATA	not regulated
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II	I of
MARPOL73/78 and the IBC Code	Not applicable.
UN ''Model Regulation'':	not regulated

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):					
7723-14-0	red phosphorus				
· Section 313 (Specific toxic chemical listings):					
7723-14-0	red phosphorus				
7440-47-3	chromium				
7429-90-5	aluminium				
7439-96-5	manganese				
7440-50-8	copper				
7440-02-0	nickel				
· TSCA (Toxic Substances Control Act):					
All ingredi	All ingredients are listed.				
	(Contd. on page 8)				
	-118				

Printing date 10/19/2015

Reviewed on 10/10/2015

Trade name: CarTech Nitralloy 135M

(Contd.	of page	7)
(p8-	• •

D

D

D D

A4

A4

A3

A5

· Proposition 65

• Chemicals known to cause cancer:

7440-02-0 nickel

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

7723-14-0 red phosphorus

7440-47-3 chromium

7439-96-5 manganese

7440-50-8 copper

· TLV (Threshold Limit Value established by ACGIH)

7440-47-3 chromium 7429-90-5 aluminium

7439-98-7 molybdenum

7440-02-0 nickel

· NIOSH-Ca (National Institute for Occupational Safety and Health)

7440-02-0 nickel

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

Hazard-determining components of labeling: nickel
Hazard statements May cause an allergic skin reaction. Suspected of causing cancer.
Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves.

Contaminated work clothing must not be allowed out of the workplace.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

IF exposed or concerned: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

Reviewed on 10/10/2015

Trade name: CarTech Nitralloy 135M

(Contd. of page 8)

IF ON SKIN: Wash with plenty of water. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Department issuing SDS:** Environment protection department.

· Date of preparation / last revision 10/19/2015 / 4

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPDB: vary Persistent and vary Bioaccumulative

vPvB: very Persistent and very Bioaccumulative

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Carc. 2: Carcinogenicity, Hazard Category 2

 \cdot * Data compared to the previous version altered.

US